

PRODUCT CATALOG

Do not hesitate to contact us, if you require an item not listed.

PRODUCT CATAGORY

CYLINDER JACKETS

- Cylinder Jackets
- Die Cutting Plates
- Die Cutting Plates (Extra Hard)


IMPRESSION / PERFECTING JACKETS

- Heidelberg Jackets
- Komori Jackets
- Roland, Sakurai, etc. Jackets
- Transfer Jackets

CIRCULAR KNIVES

- Circular Knives
- Bottom-/ counter-/ under-/ lower-knives
- Cardboardtube
- Longlife
- Heidelberg Knives

- Dished Knives
- Grinding
- Ball Bearings & Bearing Taps
- Counter Bands
- Knifeholders




CYLINDER JACKETS

Do not hesitate to contact us, if you require an item not listed.



SM 52
36x52 cm
0,3 mm

Heidelberg		Product size / Thickness	OEM Part No.	
GTO 46 Steel - With blue foil	Steel	32x46 cm / 0,3 mm	42.732.201N	
	Brass		42.731.080N - 42.431.080S	
GTO 52 Steel - With blue foil	Steel	36x52 cm / 0,3 mm	69.732.201N	
	Brass		69.731.080N	
MO Steel - With blue foil	Steel	48x65 cm / 0,3 mm	43.732.201N - MV.020.222	
	Brass		43.731.080N	
KOR	Steel	40x57 cm / 0,5 mm	08.011.073F	
KORA	Steel	46x57 cm / 0,5 mm	18.011.073F	
KORD 62	Steel	46x62 cm / 0,5 mm	38.011.073F	
KORD 64	Steel	46x64 cm / 0,5 mm	38.001.073.F/02	
KORD 72	Steel	52x72 cm / 0,5 mm		
KORD 72	Steel	52x72 cm / 0,7 mm		
KORS	Steel	52x72 cm / 0,5 mm	48.011.073F	
SORM	Steel	677x736 mm / 0,3 mm		
SM 52 / PM 52 Steel - With blue foil	Steel	36x52 cm / 0,3 mm	G1.011.173N	
	Brass		G1.011.273N	
SM 72	Steel	52x72 cm / 0,3 mm		
	Brass			
SM 74 + PM 74	Steel	52x74 cm / 0,3 mm	M1.011.173N	
SM 74 / PM 74 Bearing Sleeve	Steel		M2.011.203/05	
CD74	Steel	62x74 cm / 0,3 mm	L2.011.173S	
SM74 CD - XL 75	Steel	62x75 cm / 0,3 mm		
SM 102	Steel	72x102 cm / 0,3 mm	C4.581.173N/04+91.430.173	
Quickmaster 46 Steel - With blue foil	Steel	32x46 cm / 0,3 mm	A1.430.053N	
	Brass		SU22.43.731.080N	



CYLINDER JACKETS

Do not hesitate to contact us, if you require an item not listed.


Roland Praktika 00 (45 angel)



510x417

0,3 mm

Fuji / Shinohara		Product size / Thickness	
Fuji Shinohara 52	Steel	408x525 / 0,3 mm	
Fuji Shinohara 52 II.P.	Steel		
Fuji Shinohara 58	Steel	496x580 / 0,3 mm	
Fuji Shinohara 65/66	Steel	524x666 / 0,3 mm	
Komori			
Komori Sprint	Steel	52x72 cm / 0,3 mm	
Komori S2 226P	Steel	535x735 / 0,3 mm	
Komori Sprint 26	Steel	513x674 / 0,3 mm	
	Brass	513x674 / 0,4 mm	
Komori Sprint 28	Steel	605x733 / 0,5 mm	
Komori Sprint II 228P	Steel	625x735 / 0,3 mm	
Komori Spica 29	Steel	774x621 / 0,3 mm	
Roland			
Roland Favorit	Steel	570x730 / 0,5 mm	
Roland Praktika 00 (old = 90 angel)	Steel	510x400 / 0,3 mm	
Roland Praktika 00 (45 angel)	Steel	510x417 / 0,3 mm	
Roland Praktika 01	Steel	48x65 cm / 0,3 mm	
Roland Praktika 01 (old: 16 holes)	Steel	48x65 cm / 0,3 mm	
Roland	Steel	985x1000 / 0,5 mm	
Roland 700	Steel	813 x 1049 / 0,3 mm	
Roland Rekord	Steel	801 x 1030 / 0,3 mm	
Roland Rekord (spec.)	Steel	765x1000 / 0,5 mm	
Roland Ultra	Steel	960x1000 / 0,5 mm	



CYLINDER JACKETS

Do not hesitate to contact us, if you require an item not listed.




Sakurai Oliver 6

385x485


0,3 mm

Ryobi		Product size / Thickness	
Ryobi 3200 / ITEK	Steel	473x340 / 0,3 mm	
Ryobi 480	Steel	413x483 / 0,3 mm	
Ryobi 500 K-NP	Steel	362x482 / 0,3 mm	
Ryobi 520	Steel	415x522 / 0,3 mm	
Ryobi 522	Steel	395x523 / 0,3 mm	
Ryobi 750	Steel	610x760 / 0,3 mm	
Sakurai			
Sakurai 52	Steel	408x525 / 0,3 mm	
Sakurai 58	Steel	496x580 / 0,3 mm	
Sakurai 65/66	Steel	524x666 / 0,3 mm	
Sakurai Oliver 6	Steel	385x485 / 0,3 mm	
Sakurai Oliver 52	Steel	515x580 / 0,3 mm	
Afskylia			
Afskylia	Steel	85x100 cm / 0,5 mm	
Mitsubishi			
Mitsubishi 40	Steel	737x1044 / 0,25 mm	
Nebiolo			
Nebiolo 57	Steel	570x506 / 0,5 mm	



DIE CUTTING PLATES


Heidelberg			Product size / Thickness	OEM Part No.	
Wing	Format: 26x35	Steel	25,2x34,9 cm / 0,7 mm		
T-Wing	Format: 26x38	Steel	25,2x36,1 cm / 0,7 mm	A4 Tiegel = 26x36 cm - 01.552.010/01	
GT		Steel	34x46 cm / 0,5 mm		
GT		Steel	34x46 cm / 0,8 mm	02.552.011.F/B	
KS "Baby"		Steel	38x52 cm / 0,7 mm	04.341.001F	
KSB		Steel	40x57 cm / 0,7 mm	14.341.001F	
			40x57 cm / 0,81 mm	SU17.4109	
			50x70 cm / 0,7 mm		
KSB Spec.		Steel	50x70 cm / 0,7 mm		
KSBZ		Steel	40x58,5 cm / 0,7 mm		
KSBAZ		Steel	46x57 cm / 0,7 mm	54.341.001F/01	
KSBA		Steel	46x58,5 cm / 0,7 mm	54.341.001F	
KSD		Steel	46x64 cm / 0,7 mm	74.341.001F/A	
S		Steel	54x72 cm / 0,7 mm	03.341.001F - MV.018.044	
			54x72 cm / 0,8 mm		
SS		Steel	56x72 cm / 0,5 mm		
SS		Steel	56x72 cm / 0,7 mm		
SBB		Steel	56x82 cm / 0,8 mm	16.011.003F	
SBBs		Steel	56x82 cm / 0,7 mm		
SBBZ		Steel	57x82 cm / 0,8 mm		
SBD		Steel	64x90 cm / 0,8 mm	36.341.001F - MV.019.191	
SBDZ		Steel	64x89 cm / 0,8 mm		
SBDs		Steel	64x90 cm / 0,7 mm		
SBG		Steel	54x77 cm / 0,7 mm	MV.018.724	
SB-SBG		Steel	56x77 cm / 0,7 mm	15.011.003F - MV.018.721	
SBG+		Steel	56x77 cm / 0,8 mm		
SBGZ		Steel	57x77 cm / 0,8 mm		
SZ		Steel	553x720 / 0,7 mm		
SGS		Steel	72x104 cm / 0,8 mm		
SHS		Steel	415x584 / 0,7 mm		



DIE CUTTING PLATES

Do not hesitate to contact us, if you require an item not listed.

Albarts		Product size / Thickness	
Albarts	Steel	41x57 / 0,7 mm	
Eickoff			
Eickoff Corona CX (no.2796)	Steel	517x725 / 0,7 mm	
Johannesberg			
Johannesberg	Steel	705x965 / 0,7 mm	
		720x1040 / 0,7 mm	
		720x1040 / 0,8 mm	
		740x1045 / 0,8 mm	
Nebiolo			
Nebiolo Atena	Steel	560x780 / 0,7 mm	
Nebiolo/Urania	Steel	800x1120 / 0,8 mm	
Nebiolo	Steel	840x1140 / 0,8 mm	
Polygraphica			
Polygraphica	Steel	405x570 / 0,7 mm	
Victoria			
Victoria	Steel	720x1045 / 0,8 mm	
		733x1045 / 0,8 mm	
		748x1045 / 0,8 mm	




DIE CUTTING PLATES (EXTRA-HARD)

Do not hesitate to contact us, if you require an item not listed.




WING
26x35 cm
0,7 mm

Heidelberg	Product size / Thickness	
Wing	26x35 cm / 0,7 mm	
T	26x38 cm / 0,7 mm	
GT	34x46 cm / 0,7 mm	
KS "Baby"	38x52 cm / 0,5 mm	
KSB	40x57 cm / 0,5 mm	
	40x58,5 cm / 0,5 mm	
KSBAZ	46x57 cm / 0,5 mm	
KSBA	46x58,5 cm / 0,5 mm	
KSD	46x64 cm / 0,5 mm	
S	54x72 cm / 0,5 mm	
SBB	56x82 cm / 0,5 mm	
SBBZ	57x82 cm / 0,5 mm	
SBD	64x90 cm / 0,4 mm	
	64x89 cm / 0,4 mm	
SBG	56x77 cm / 0,5 mm	
SBGZ	57x77 cm / 0,5 mm	
SGS	72x104 cm / 0,4 mm	
Albert		
Albert Grala	58x75 cm / 0,5 mm	
Albert Präsident	72x100 cm / 0,4 mm	
Condor		
Condor	71x101 cm / 0,4 mm	



KSBA



KORA

HEIDELBERG PERFECTING/IMPRESSION/REFINED

Do not hesitate to contact us, if you require an item not listed.

SM 102 / CD 102 Impression Cylinder

72x102

0,270 mm

S8.581.173N



SM 74 Impression Cylinder

53x75

0,330 mm

M2.581.173N



Impression		Product size	OEM Part No.	
	GTO 46 Impression	32x46	52.581.173	
	GTO 52 Impression	36x52	79.581.173N	
	MO Impression	48x65	53.581.173	
	SM 52 / PM 52 Impression Cylinder	36x52	G2.581.173N	
	SM 72 (incl. Elastosil)	52x72	93.581.173N / 93.581.100N	
	SM74 / PM74 Impression Cylinder	53x75	M2.581.173N	
*)	SM 102 / CD 102 Impression Cylinder	72x102	S8.581.173N	
*)	SM 102 / CD 102 Impression Cylinder	72x102	S9.581.173N	


* **SM 102:** Should only be mounted by authorised technician.

Please inform part no. to ensure correct version.

HEIDELBERG PERFECTING/IMPRESSION/REFINED

Do not hesitate to contact us, if you require an item not listed.

SM 52 Perfecting Jacket




36x52 cm

0,301-0,305 mm

G2.581.184N


Perfecting	Product size	OEM Part No.	
SM 52 / PM 52 Perfecting Jacket	36x52	G2.581.184N	
		G2.581.185N	
		G2.581.186N	
		G2.581.187N	
SM74 / PM74 Perfecting Jacket	53x75	M2.581.184N/	
		M2.581.185N/	
		M2.581.186N/	
		M2.581.187N/	
XL75 / CD 74 Perfecting Jacket	62x75	L2.581.184N	
		L2.581.185N	
		L2.581.186N	
		L2.581.187N	
*) SM 102 Perfecting Jacket	72x102	S8.581.184N	
		S8.581.185N	
		S8.581.186N	
		S8.581.187N	
*) SM 102 Perfecting Jacket Plus	72x102	S9.581.183N	
		S9.581.184N	
		S9.581.185N	
		S9.581.186N	
		S9.581.187N	
*) XL 105 Perfecting Jacket Cylinder	78 x 106	F2.581.184N	
		F2.581.185N	
		F2.581.186N	
		F2.581.187N	
Elastosil-Tube=3M Scotch Seal 800-50z	90 ml		



KOMORI PERFECTING/IMPRESSION/REFINED

Do not hesitate to contact us, if you require an item not listed.


	Product Size	Manufactures Part No.	Description	Note	
SPICA 29	623 x 770	834.3200.301			
KS/GS28P	620 x 749	SGG.3803.201			
L28P	593 x 740	SFV.3202.201	Etch Lined		
L28P	593 x 740	SFV.3303.200			
L26P	593 x 664	SFU.3202.200	Plain Steel		
L26P	593 x 664	SFU.3305.202			
L40RP	820 x 1074	481.3247.022		Lower	
L40RP	820 x 1074	481.3247.022		Upper	
LS40P	805 x 1030	GFH.3200.201	10 Holes		
L40P	805 x 1030	IGS.3234.022	Etch Lined	Top 1st Unit	
L40P	805 x 1030	IGS.3234.112	10 Holes		
LS40SP	805 x 1030	714.3200.800	Plain Steel		
LS40SP	805 x 1030	714.3250.600	8 Holes	Lower	
LS40SP	805 x 1030	GFH.3200.201	10 Holes	Upper	
L40SP	805 x 1030	742.3202.500	Plain Steel		
L40SP	805 x 1030	742.3251.303	8 Holes	Lower	
L40SP	805 x 1030	742.3202.403	10 Holes	Upper	
L40SP	805 x 1030	742.3202.500	Plain Steel		
L40SP	805 x 1030	742.3251.301	8 Holes	Lower	
L40SP	805 x 1030	742.3202.401	10 Holes	Upper	



IMPRESSION / PERFECTING JACKETS

Do not hesitate to contact us, if you require an item not listed.


Fuji / Shinohara	Product size	OEM Part No.	
Fuji Shinohara 52	398x520		
Fuji Shinohara 58	496x580		
Fuji Shinohara 65/66	505x660		
Fuji Shinohara 74/75	602x750		
Roland			
Roland Praktika 00 /45 degree	417x510		
Roland Praktika 00 /90 degree	417x510		
Roland 300	603x740		
Roland 305	603x740		
Roland 306	603x740		
Roland 500	590x740		
Roland 700	813x1049	80.05A15A044	
Roland Rekord	801x1030		
Roland Rekord RZK 3B	757x1030		
Roland Rekord RVK 3B	755x1030		
Ryobi			
Ryobi 480	413x483		
Ryobi 500 K-NP	362x482		
Ryobi 520	434x520		
Ryobi 522	413x520		
Ryobi 522	436x520		
Ryobi 750	643x760		
Ryobi 780	643x772		
Ryobi 920	658x910		
Ryobi 1050	852x1075		



IMPRESSION / PERFECTING JACKETS

Do not hesitate to contact us, if you require an item not listed.

Sakurai	Product size	
Sakurai Oliver 6	385x485	
Sakurai 52	408x525	
Sakurai 58	496x580	
Sakurai Oliver 52 E-P	515x580	
Sakurai Oliver 58-258	440x580	
Sakurai Oliver 66	460x660	
Sakurai 66	524x666	
Sakurai Oliver 72	520x720	




HEIDELBERG TRANSFER JACKET

Do not hesitate to contact us, if you require an item not listed.

SM74 / PM74 Transfer Jacket

53x75

M2.215.105N



Heidelberg	Product size	OEM Part No.	
SM 52 Transfer Jacket	36x52	G2.215.105N/S	
SM 74 / PM 74 Transfer Jacket	53x75	M2.215.105N MV.026.142	
XL 75 / SM 74 Transfer Jacket	62x75	L8.215.105N	
*) SM 102 Transfer Jacket	72x102	S8.215.201N	
*) SM 102 Transfer Steel Without surface Treatment	72x102	S8.215.201N	
XL 105 Transfer Jacket	78x106	F3.215.201N	

SM 102 Transfer Jacket


72x102

S8.215.201N



* **SM 102:** Should only be mounted by authorised technician.

Please inform part no. to ensure correct version.



CIRCULAR KNIVES = SLITTING - PERFORATING - MICROPERFORATING


1) Perforation: Standard = 1,0/0,8 | 2,0/0,8 | 3,0/0,8 | 4,0/0,8 | 5,0/0,8 | 6,0/0,8 mm

1,0/1,0 | 2,0/1,0 | 3,0/1,0 | 4,0/1,0 | 5,0/1,0 | 6,0/1,0 mm

2) Microperf.: Standard = 25tpi | 30tpi | 40tpi | 50tpi | 60tpi | 72tpi.

3) Special perf: Surcharge per setup

Product type		Dimension mm			Slitting Scoring Creasing	1) Perf.	2) Micro perf.
		OD	ID	Thick			
GRAFIX	Incl. Ball Bearing	19	12	4			
SPEEDMASTER	Incl. Ball Bearing	25	13	5			
		29	12,7	5			
OLIVER SAKURAI		30	12	4			
HEIDELBERG GTO	Incl. Ball Bearing ID ø4mm	30	16	5			
HEIDELBERG GTO	Double Scoring	30	16	5			
HEIDELBERG GTO	Side bevel	30	16	5			
SPEC. GTO	Round on top	30	16	5			
KOPACK	ex Ball Bearing ID ø5mm	30	16	5			
WATKISS		30	20	0,8			
SPEC. GTO		31	16	5			
DIGICON	ex Ball Bearing ID ø6,35mm	31,75	15,86	5,2			
		32	15	13			
		35	16	5			
FUJI		40	13	4,85			
		40	15	5			
ROYBI / ITEK / AKIRA / MARK ANDY		40	19	6			
TIMSON / HORIZON		45	13	4,85			
		45	15	5			
		46	20	3			
BÖWE UPPER- / BOTTOM WHEELS / COUNTER WHEELS / LOWER KNIFE		46,5	20	5			
DIVI		47	16,2	2			
		48	19	5,2			
		48	19	6			
Upperknife		48,7	20	5			
		49,25	25,3	9,6			
		49,5	20	5			
GRAPHA / DOMINANT / GIEBELER / INIER / ROTATEK / OFCON / SEAILLES+TISON		50	19	5,2			



CIRCULAR KNIVES = SLITTING - PERFORATING - MICROPERFORATING


1) Perforation: Standard = 1,0/0,8 | 2,0/0,8 | 3,0/0,8 | 4,0/0,8 | 5,0/0,8 | 6,0/0,8 mm

1,0/1,0 | 2,0/1,0 | 3,0/1,0 | 4,0/1,0 | 5,0/1,0 | 6,0/1,0 mm

2) Microperf.: Standard = 25tpi | 30tpi | 40tpi | 50tpi | 60tpi | 72tpi.

3) Special perf: Surcharge per setup

Product type	Dimension mm			Slitting Scoring Creasing	1) Perf.	2) Micro perf.
	OD	ID	Thick			
DRENT / CRABTREE MORGAN / MIYAKOSHI	50	19	6			
Kizzcut	50	19	6			
	50	19	6,2			
	50	19	6,3			
	50	19	6,35			
	50	19	7			
SOLNA ex. Ball Bearing	50	22	7			
	50	25	2			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE (pinol)	50	25	5,8(12)			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	50	25	10			
ADAST / DOMINANT	50	30	2,6			
ADAST / DOMINANT	50	30	4,5			
OMEGA	50	30	10			
Split = 2 parts (Price per part)	51,3	15	2			
OMEGA	52	25	10			
QUICKMASTER	55	44	13			
	56	30	6,35			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	57	20	4,1			
FING	57	20	4,2			
KERN / BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	57	25	4,3			
	57	35	2			
	58	19	4			
DIDDE GLAESER / TANDEMER ex. Ball Bearing	58	22,22	11,11			
DIDDE GLAESER / TANDEMER for halfcut / kisscut and creasing ex. Ball Bearing	58	22,22	11,11			
AUTOMATION / COLOR J	58	22	20			
	58	26	17,5			
3 holes - Single bevel	58,5	19,05	3,8			
Tech-ni-fold	58,5	42	1,6			



CIRCULAR KNIVES = SLITTING - PERFORATING - MICROPERFORATING


1) Perforation: Standard = 1,0/0,8 | 2,0/0,8 | 3,0/0,8 | 4,0/0,8 | 5,0/0,8 | 6,0/0,8 mm

1,0/1,0 | 2,0/1,0 | 3,0/1,0 | 4,0/1,0 | 5,0/1,0 | 6,0/1,0 mm

2) Microperf.: Standard = 25tpi | 30tpi | 40tpi | 50tpi | 60tpi | 72tpi.

3) Special perf: Surcharge per setup

Product type	Dimension mm			Slitting Scoring Creasing	1) Perf.	2) Micro perf.
	OD	ID	Thick			
	59	19	5			
	59	40	4			
	60	12	6			
	60	16	2			
	60	19	5,2			
	60	19	6,3			
HCHCr (AISI D-3)	60	21,3	4,8			
	60	22	5,5			
BOBINE	60	22	7			
	60	22	9,5			
	60	22	11			
	60	22	9,5			
BIELOMATIK / BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	60	30	10			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	60	30	12			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	60	35	20			
	60	40	2			
BIELOMATIK / UPPERKNIFE	62,5	25	8			
SCHOBER	63	19,05	6			
	63	30	6,35			
	63	31,75	3,2			
UNDERWHEEL / COUNTER WHEEL	63,5	31,75	12,7			
8"	65	19	5,2			
8"	65	19	10,3			
GRAPHA	8"	65	26	6		
8"	65	28,58	6,35			
ARPECO	8"	65	38,7	4		
8"	65	46,02	5			
WESTERN	66	33,3	9,5			



CIRCULAR KNIVES = SLITTING - PERFORATING - MICROPERFORATING


1) Perforation: Standard = 1,0/0,8 | 2,0/0,8 | 3,0/0,8 | 4,0/0,8 | 5,0/0,8 | 6,0/0,8 mm

1,0/1,0 | 2,0/1,0 | 3,0/1,0 | 4,0/1,0 | 5,0/1,0 | 6,0/1,0 mm

2) Microperf.: Standard = 25tpi | 30tpi | 40tpi | 50tpi | 60tpi | 72tpi.

3) Special perf: Surcharge per setup

Product type	Dimension mm			Slitting Scoring Creasing	1) Perf.	2) Micro perf.
	OD	ID	Thick			
	67	19	6,2			
SCHREIBER / EDELMAN / FORM-ALL / FORM PRINT / SANDER	67	19	6,3			
	67	30	6,2			
8½"	69	26	6			
AUTOMATION 8½"	70	19	5			
	70	19	6,3			
	70	19	13			
	70	22	6,2			
	70	25	7			
TAIYO	70	26	8			
	70	26	13,1			
GOEBEL	70	30	13,1			
GOEBEL	70	40	2			
GOEBEL	70	40	2,2			
GOEBEL	70	40	4			
	71	26	13,33			
	72	32	4			
	72,5	22	6,2			
	75	22	6			
	75,12	19	6,3			
	75,12	19	15			
GRAPHA PROGRESS	76	26	13,1			
	76/77	16	5			
	76/77	17	5			
	76/77	19	5			
GRAPHA / MÜLLER MARTINI / GIEBELER	76/77	19	5,2			
CRUSHKNIFE	76/77	19	5,2			
MULTIVAC 30 DEGREE	77	19	5,2			




CIRCULAR KNIVES = SLITTING - PERFORATING - MICROPERFORATING

1) Perforation: Standard = 1,0/0,8 | 2,0/0,8 | 3,0/0,8 | 4,0/0,8 | 5,0/0,8 | 6,0/0,8 mm
Do not hesitate to contact us, if you require an item not listed.
1,0/1,0 | 2,0/1,0 | 3,0/1,0 | 4,0/1,0 | 5,0/1,0 | 6,0/1,0 mm

2) Microperf.: Standard = 25tpi | 30tpi | 40tpi | 50tpi | 60tpi | 72tpi.

3) Special perf: Surcharge per setup

Product type	Dimension mm			Slitting Scoring Creasing	1) Perf.	2) Micro perf.
	OD	ID	Thick			
	76/77	19	6,2			
CRUSHKNIFE	76/77	19	6,2			
MÜLLER MARTINI / DRENT / SCHOBBER	76/77	19	6,3			
CRUSHKNIFE	76/77	19	6,3			
	76/77	19	6,33			
MÜLLER MARTINI	76/77	19	6,35			
CRUSHKNIFE	76/77	19	6,35			
	77	19,01	6,33			
ASHTON	77	19,05	6,33			
CRUSHKNIFE	76/77	19,05	6,33			
HAMILTON / STEVENS	77	22	6,2			
GRAPHIA / CAMERON	77	22	6,3			
	77	22	6,35			
	77	24	5			
	77	25	5			
	77	30	9			
	77	47	8			
	80	19	6,35			
	80	22	8			
Cardboardtube-Knife	80	40	1			
10"	81	19	6,3			
10"	81	26	5,2			
10"	81	26	6			
10"	81	26	6,35			
WESTERN 10"	81	26	6,35			
	85	19	6,3			
Cardboardtube-Knife	85	26	3			
Cardboardtube-Knife	85	26	3			



CIRCULAR KNIVES = SLITTING - PERFORATING - MICROPERFORATING


1) Perforation: Standard = 1,0/0,8 | 2,0/0,8 | 3,0/0,8 | 4,0/0,8 | 5,0/0,8 | 6,0/0,8 mm

1,0/1,0 | 2,0/1,0 | 3,0/1,0 | 4,0/1,0 | 5,0/1,0 | 6,0/1,0 mm

2) Microperf.: Standard = 25tpi | 30tpi | 40tpi | 50tpi | 60tpi | 72tpi.

3) Special perf: Surcharge per setup

Product type	Dimension mm			Slitting Scoring Creasing	1) Perf.	2) Micro perf.
	OD	ID	Thick			
Cardboardtube-Knife	85	26	4			
GOEBEL	85	40	2			
GOEBEL	85	40	2,2			
GOEBEL	85	40	4			
11"	89	26	6			
	89,5	22	6,35			
	90	12	10			
	90	26	3			
"DG" 3 holes - Single bevel	90	40	5			
UPPERKNIFE	90	50	4			
	94	19	6,3			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	94	26	5			
GRAPHA 11 2/3"	94	26	6			
11 2/3"	95	19	6,3			
11 2/3"	95	26	6,35			
11 2/3"	95	45	3			
11 2/3"	95	60	6			
GIEBELER 12"	97	19	5,2			
12"	97	19	6			
12"	97	19	6,3			
12"	97	22	6,3			
Cardboardtube-Knife 12"	97	26	3			
GRAPHA 12"	97	26	6			
12"	97	26	6,35			
BOTTOM WHEEL / COUNTER WHEEL 12"	97	45	19			
12"	97	60	4			
12½"	100	19	6,35			
With sloth	100	25	8			



CIRCULAR KNIVES = SLITTING - PERFORATING - MICROPERFORATING


1) Perforation: Standard = 1,0/0,8 | 2,0/0,8 | 3,0/0,8 | 4,0/0,8 | 5,0/0,8 | 6,0/0,8 mm

1,0/1,0 | 2,0/1,0 | 3,0/1,0 | 4,0/1,0 | 5,0/1,0 | 6,0/1,0 mm

2) Microperf.: Standard = 25tpi | 30tpi | 40tpi | 50tpi | 60tpi | 72tpi.

3) Special perf: Surcharge per setup

Product type	Dimension mm			Slitting Scoring Creasing	1) Perf.	2) Micro perf.
	OD	ID	Thick			
Cardboardtube-Knife	100	26	3			
Cardboardtube-Knife	100	26	4			
MÜLLER-MARTINI CONCEPT 3-holes	100	26	6			
	100	30	4			
	100	40	5			
12½"	101	19	6,3			
12½"	101	26	6			
	101	73	3			
SPEC. 3 HOLES ø81	105	32	35,3			
Hexagonal	105	45	0,8			
GRAPHA 14"	114	26	6			
Cardboardtube-Knife	120	40	0,9			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	120	80	5			
	125	25	0,8			
16"	130	19	5,2			
16"	130	19	6,3			
16"	130	22	6,35			
GRAPHA 16"	130	26	6			
HSS	135	50	4			
17"	138	19	6,3			
17"	138	26	6			
Cardboardtube-Knife	150	32	3			
HSS	150	80	1			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	160	120	6,3			
BOTTOM WHEEL / COUNTER WHEEL / LOWER KNIFE	177	70	5			
Dished	177	70	12			
23 1/3"	188	19	6,35			
	200	22	2			



CIRCULAR KNIVES = SLITTING - PERFORATING - MICROPERFORATING

Do not hesitate to contact us, if you require an item not listed.

1) **Perforation:** Standard = 1,0/0,8 | 2,0/0,8 | 3,0/0,8 | 4,0/0,8 | 5,0/0,8 | 6,0/0,8 mm

1,0/1,0 | 2,0/1,0 | 3,0/1,0 | 4,0/1,0 | 5,0/1,0 | 6,0/1,0 mm

2) **Microperf.:** Standard = 25tpi | 30tpi | 40tpi | 50tpi | 60tpi | 72tpi.

3) **Special perf:** Surcharge per setup

Non-Woven


Dimension

Product type	OD	ID	Thick mm	
Slitting / Scoring / Greasing	150	70	2,8	
Perforation				

All sizes can be manufactured as "Non-Woven".

Let us know which size you use in your production.






BOTTOM- / COUNTER- / UNDER- / LOWER- KNIVES



Product type	Dimension mm			
	OD	ID	Thick	
Böwe upper- / Bottom wheel / Counter wheel / Lower knife	46,5	20	5	
Bottom wheel / Counter wheel / Lower knife (Pinol)	50	25	5,8(12)	
Bottom wheel / Counter wheel / Lower knife	50	25	10	
W-Counter / Bottom wheel / Counter wheel / Lower knife	52	22	7	
Bottom wheel / Counter wheel / Lower knife	57	20	4,1	
Kern / Bottom wheel / Counter wheel / Lower knife	57	25	4,3	
Bielomatik / Bottom wheel / Counter wheel / Lower knife	60	30	10	
Bottom wheel / Counter wheel / Lower knife	60	30	12	
Bottom wheel / Counter wheel / Lower knife	60	35	20	
Underwheel / Counter wheel	63,5	31,75	12,7	
Bottom wheel / Counter wheel / Lower knife	65	46	5	
Bottom wheel / Counter wheel / Lower knife	94	26	5	
Bottom wheel / Counter wheel / Lower knife	97	45	19	
Bottom wheel / Counter wheel / Lower knife	120	80	5	
Bottom wheel / Counter wheel / Lower knife	160	120	6,3	
Bottom wheel / Counter wheel / Lower knife	177	70	5	




CARDBOARDTUBE-KNIVES

Do not hesitate to contact us, if you require an item not listed.



Dimension mm			
OD	ID	Thickness mm	
80	40	1	
85	26	3	
85	26	3	
85	26	4	
97	26	3	
100	26	3	
100	26	4	
120	40	0,9	
150	32	3	





LOGLIFE

Do not hesitate to contact us, if you require an item not listed.


Microperf.: Standard = 25tpi , 30tpi , 40tpi , 50tpi , 60tpi , 72tpi.

"LOGLIFE" last longer and can be grinded up to 25 times.

Please contact us for more details.

LONG LIFE

Micro Perforating wheels / Mikroperforieren Räder



Dimension
mm

Micro perf.


Product type	OD	ID	Thickness	
	57	35	2	
DIDDE GLAESER / TANDEM	58	22,22	11,11	
WESTERN	66	33,3	9,5	
SCHREIBER / EDELMAN / FORM-ALL / FORM PRINT / SANDER	67	19	6,3	
TAIYO	70	26	8	
GRAPHA / MÜLLER MARTINI / GIEBELER	77	19	5,2	
	77	19	6,2	
MÜLLER MARTINI / DRENT / SCHOBER	77	19	6,3	
MÜLLER MARTINI	77	19	6,35	
ASHTON	77	19,05	6,33	
HAMILTON / STEVENS	77	22	6,2	
GOEBEL	85	40	2,2	

All sizes can be manufactured as "Longlife".

Do not hesitate to ask.



"LOGLIFE" LAST LONGER AND CAN BE GRINDED UP TO 25 TIMES.
PLEASE CONTACT US FOR MORE DETAILS.



HEIDELBERG CIRCULAR KNIVES


Do not hesitate to contact us, if you require an item not listed.

GTO : Size 30x16x5 cm

EOM Part No.

Description

MV.024.351 - MV.032.266	Slitting / Scoring / Greasing	
MV.025.009	Slitting / Scoring / Greasing	
	Single bevel	
	Round on top	
03.734.009F	Double Scoring	
	Dual-creasing	
	2mm Scoring	
	Perf. 1,0/0,4 - 67z	
00.731.147 - MV.024.212	Perf. 1,0/1,0 - 47z	
01.731.136 - MV.024.209	Perf. 2,0/0,6 - 36z	
	Perf. 2,0/1,0	
02.731.130	Perf. 2,5/0,6 - 30z	
03.731.126F	Perf. 3,0/0,6 - 26z	
	Perf. 3,0/1,0	
04.731.122 - MV.030.766	Perf. 3,6/0,7 - 22z	
05.731.120 - MV.025.059	Perf. 4,0/0,7 - 20z	
06.731.118	Perf. 4,5/0,7 - 18z	
07.731.116	Perf. 5,1/0,7 - 16z	
08.731.114 - MV.027.594	Perf. 6,0/0,7 - 14z	
09.731.112 - MV.027.891	Perf. 7,0/0,8 - 12z	
10.731.110 - MV.024.214	Perf. 8,6/0,8 - 10z	
11.731.108 - MV.024.223	Perf. 11,0/0,8 - 8z	
11.731.106 - MV.032.279	Perf. 14,9/0,8 - 6z	
11.731.104 - MV.032.269	Perf. 22,8/0,8 - 4z	
	Microperf. 25 tpi	
	Microperf. 30 tpi	
	Microperf. 40 tpi	
	Microperf. 50 tpi	
	Microperf. 60 tpi	
	Microperf. 72 tpi	



HEIDELBERG CIRCULAR KNIVES


Do not hesitate to contact us, if you require an item not listed.

QM : Size 55x44x13 cm

EOM Part No.

Description


A1.731.113 + A1.731.114	Slitting / Scoring / Greasing	
A1.731.112	Perf. 3,0/0,6 - 48z	
	Perf. 6,0/0,8 - 26z	
	Microperf. 25 tpi	
	Microperf. 30 tpi	
	Microperf. 40 tpi	
	Microperf. 50 tpi	
	Microperf. 60 tpi	
	Microperf. 72 tpi	



DISHED KNIVES / SHEAR CUTTING

Do not hesitate to contact us, if you require an item not listed.

Single or Double bevel




Single bevel



Double bevel



OD	Dimension mm		Thickness	Standard steel	D2 steel	HSS
	ID					
62	40		0,5			
62	40		1,0/1,2			
62	46		0,5			
63	40		1,0/1,2			
64	40		1,0/1,2			
65	40		1,0/1,2			
68	40		1,0/1,2			
70	45		1,0/1,2			
70	46		0,5			
72	50		0,8-1			
75	45		1,0/1,2			
75	50		1,0/1,2			
80	40		1,0/1,2			
85	60		1,0/1,2			
90	60		1,0/1,2			
100	66		0,8			
100	70		0,8-1,2			
105	65		1,2			
105	70		1,2			
105	70		1,5			
105	75		1,2			
107	65		1,2			
108	65		1,2			
108	82		1,2			
130	70		1,5-1,8			
130	80		1,5			
130	100		1,2-1,5			
135	100		1,5-1,8			
140	70		1,8-2,5-3			
148,5	80		1,5			
150	70		2-2,5			
150	80		2,5			
150	90		3,5			
175	70		2,2			
180	70		2,5-3,7			
200	80		4			





GRINDING

Do not hesitate to contact us, if you require an item not listed.

Circular Knives	Slitting Scoring Greasing	Perf.	Micro Perf.	Bottom wheel one sided	Longlife	Non-Woven	Kisscut	Bottom wheel Double sided
Product size								
ø19 - ø40								
ø41 - ø57								
ø58 - ø76								
ø77 - ø96								
ø97 - ø129								
ø130 - ø200								

Dished Knives	Single Bevel	Double Bevel
Product size		
ø62 - ø90		
ø91 - ø108		
ø109 - ø200		





BALL BEARINGS

Do not hesitate to contact us, if you require an item not listed.



Product type

Size / Thickness


	(R3ZZ)	12,7x4,76 / 4,97 mm	
GRAFIX	(R6)	12x4 / 4 mm	
	(126ZZ)	12x6 / 4 mm	
	(624-ZZ)	13x4 / 5 mm	
	(R4-ZZ)	15,875x6,35 / 4,97 mm	
GTO	(634ZZ)	16x4 / 5 mm	
	(625Z)	16x5 / 5 mm	
	(618/6)	16x6 / 3,5 mm	
	(626-2RS)	19x6 / 5,2 mm	
		19x6 / 5,9 mm	
RYOBI	(626-2RS)	19x6 / 6 mm	
DG 7/8"	(629)	22,23x9,5 / 5,5 mm	
	(608ZZW6)	22x8 / 6 mm	
SOLNA		22x8 / 7 mm	
	(61900ZZ-06)	22x10 / 6 mm	
	(629-2RS)	26x9 / 8 mm	
	(6000.2RS)	26x10 / 8 mm	


Bearing Taps

Length: A(B)

OD: C(D)

6	5	
6(5)	8,5(6)	
6(5)	9,5(6,1)	
7(5)	6(5)	
8(5)	8,5(6,7)	
8(5)	8,5(7)	






COUNTER BANDS

Do not hesitate to contact us, if you require an item not listed.

Product type	Size / Thickness	
Brass band - Role = 10 meter	7 mm / 0,35 mm	





KNIFEHOLDERS

Do not hesitate to contact us, if you require an item not listed.

Description

Slitting Wheels Holder,
Pneumatic

Holder for crush slitting and
perforating wheels.

Fitting size:
OD: 67 - 77

Available in various versions.



Slitting Wheels Holder,
Manual / Mecanical

Holder for crush slitting and
perforating wheels.

Fitting size:
OD: 50 ID: 19 - OD: 58 ID: 22,2

Available in various versions.



Slitting Wheels Holder,
Pneumatic

Holder for crush slitting and
perforating wheels.

Fitting size:
OD: 50 - 58

Available in various versions.

